

[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent &amp; Trademark Office

Try the *new* Portal design

Give us your opinion after using it.

Citation

✓ [ACM Computing Surveys \(CSUR\) > archive](#)  
[Volume 33, Issue 3 \(September 2001\) > toc](#)

Searching in high-dimensional spaces: Index structures for improving the performance of multimedia databases

**Authors**[Christian Böhm](#) University of Munich, München, Germany[Stefan Berchtold](#) stb ag, Germany, Augsburg, Germany[Daniel A. Keim](#) AT&T Research Labs and University of Constance, Konstanz, Germany**Publisher**

ACM Press New York, NY, USA

Pages: 322 - 373 Periodical-Issue-Article

Year of Publication: 2001

ISSN:0360-0300

[doi> http://doi.acm.org/10.1145/502807.502809](http://doi.acm.org/10.1145/502807.502809) (Use this link to Bookmark this page)[> full text](#) [> abstract](#) [> references](#) [> citings](#) [> index terms](#) [> peer to peer](#)[> Discuss](#)[> Similar](#)[> Review this Article](#)[Save to Binder](#)[> BibTex Format](#)[↑ FULL TEXT:](#) [Access Rules](#)[pdf 1.39 MB](#)[↑ ABSTRACT](#)

During the last decade, multimedia databases have become increasingly important in many application areas such as medicine, CAD, geography, and molecular biology. An important research issue in the field of multimedia databases is the content-based retrieval of similar multimedia objects such as images, text, and videos. However, in contrast to searching data in a relational database, a content-based retrieval requires the search of similar objects as a basic functionality of the database system. Most of the approaches addressing similarity search use a so-called feature transformation that transforms important properties of the multimedia objects into high-dimensional points (feature vectors). Thus, the similarity search is transformed into a search of points in the feature space that are close to a given query point in the high-dimensional feature space. Query processing in high-dimensional spaces has therefore been a

very active research area over the last few years. A number of new index structures and algorithms have been proposed. It has been shown that the new index structures considerably improve the performance in querying large multimedia databases. Based on recent tutorials [Berchtold and Keim 1998], in this survey we provide an overview of the current state of the art in querying multimedia databases, describing the index structures and algorithms for an efficient query processing in high-dimensional spaces. We identify the problems of processing queries in high-dimensional space, and we provide an overview of the proposed approaches to overcome these problems.

## ↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

- 1 ABEL, D. AND SMITH, J. 1983. A data structure and algorithm based on a linear key for a rectangle retrieval problem. *Comput. Vis.* 24, 1-13.
- 2 AGRAWAL, R., FALOUTSOS, C., AND SWAMI, A. 1993. Efficient similarity search in sequence databases. In *Proc. 4th Int. Conf. on Foundations of Data Organization and Algorithms*, LNCS 730, 69-84.
- 3 Rakesh Agrawal, Johannes Gehrke, Dimitrios Gunopulos, Prabhakar Raghavan, Automatic subspace clustering of high dimensional data for data mining applications, Proceedings of the 1998 ACM SIGMOD international conference on Management of data, p.94-105, June 01-04, 1998, Seattle, Washington, United States
- 4 AGRAWAL, R., LIN, K., SAWHNEY, H., AND SHIM, K. 1995. Fast similarity search in the presence of noise, scaling, and translation in time-series databases. In *Proc. 21st Int. Conf. on Very Large Databases*, 490-501.
- 5 ALTSCHUL, S., GISH, W., MILLER, W., MYERS, E., AND LIPMAN, D. 1990. A basic local alignment search tool. *J. Molecular Biol.* 215, 3, 403-410.
- 6 AOKI, P. 1998. Generalizing "search" in generalized search trees. In *Proc. 14th Int. Conf. on Data Engineering (Orlando, FL)*, 380-389.
- 7 AREF, W. AND SAMET, H. 1991. Optimization strategies for spatial query processing. In *Proc. 17th Int. Conf. on Very Large Databases (Barcelona)*, 81-90.
- 8 Sunil Arya, Nearest neighbor searching and applications, University of Maryland at College Park, College Park, MD, 1996
- 9 Sunil Arya, David M. Mount, Onuttom Narayan, Accounting for boundary effects in nearest neighbor searching, Proceedings of the eleventh annual symposium on Computational geometry, p.336-344, June 05-07, 1995, Vancouver, British Columbia, Canada
- 10 BAEZA-YATES, R., CUNTO, W., MANBER, U., AND WU, S. 1994. Proximity matching using fixed-queries trees. In *Proc. Combinatorial Pattern Matching*, LNCS 807, 198-212.
- 11 BAYER, R. AND MCCREIGHT, E. 1977. Organization and maintenance of large ordered indices.

Acta Inf. 1, 3, 173-189.

12 Norbert Beckmann , Hans-Peter Kriegel , Ralf Schneider , Bernhard Seeger, The R\*-tree: an efficient and robust access method for points and rectangles, Proceedings of the 1990 ACM SIGMOD international conference on Management of data, p.322-331, May 23-26, 1990, Atlantic City, New Jersey, United States

13 BELUSSI,A.AND FALOUTSOS, C. 1995. Estimating the selectivity of spatial queries using the correlation fractal dimension. In Proc. 21st Int. Conf. on Very Large Databases (Zurich), 299- 310.

14 Jon Louis Bentley, Multidimensional binary search trees used for associative searching, Communications of the ACM, v.18 n.9, p.509-517, Sept. 1975

15 BENTLEY, J. 1979. Multidimensional binary search in database applications. IEEE Trans. Softw. Eng. 4, 5, 397-409.

16 Stefan Berchtold , Daniel A. Keim, High-dimensional index structures database support for next decade's applications (tutorial), Proceedings of the 1998 ACM SIGMOD international conference on Management of data, p.501, June 01-04, 1998, Seattle, Washington, United States

17 Stefan Berchtold , Christian Böhm , Bernhard Braunmüller , Daniel A. Keim , Hans-Peter Kriegel, Fast parallel similarity search in multimedia databases, Proceedings of the 1997 ACM SIGMOD international conference on Management of data, p.1-12, May 11-15, 1997, Tucson, Arizona, United States

18 BERCHTOLD, S., B~OHM, C., JAGADISH, H., KRIEGEL, H.-P., AND SANDER, J. 2000a. Independent quantization: An index compression technique for highdimensional data spaces. In Proc. 16th Int. Conf. on Data Engineering.

19 Stefan Berchtold , Christian Böhm , Daniel A. Keim , Hans-Peter Kriegel, A cost model for nearest neighbor search in high-dimensional data space, Proceedings of the sixteenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems, p.78-86, May 11-15, 1997, Tucson, Arizona, United States

20 BERCHTOLD, S., B~OHM, C., KEIM,D.,AND KRIEGEL, H.-P. 2001. On optimizing processing of nearest neighbor queries in high-dimensional data space. Proc. Conf. on Database Theory, 435-449.

21 BERCHTOLD, S., B~OHM, C., KEIM, D., KRIEGEL, H.-P., AND XU, X. 2000c. Optimal multidimensional query processing using tree striping. Dawak, 244-257.

22 BERCHTOLD, S., B~OHM,C.,AND KRIEGEL, H.-P. 1998a. Improving the query performance of high-dimensional index structures using bulk-load operations. In Proc. 6th Int. Conf. on Extending Database Technology (Valencia, Spain).

23 Stefan Berchtold , Christian Böhm , Hans-Peter Kriegel, The pyramid-technique: towards breaking the curse of dimensionality, Proceedings of the 1998 ACM SIGMOD international conference on Management of data, p.142-153, June 01-04, 1998, Seattle, Washington, United States

24 BERCHTOLD, S., ERTL, B., KEIM, D., KRIEGEL, H.-P., AND SEIDL, T. 1998c. Fast nearest neighbor search in high-dimensional spaces. In Proc. 14th Int. Conf. on Data Engineering (Orlando, FL).

- 25 BERCHTOLD, S., JAGADISH, H., AND ROSS, K. 1998d. Independence diagrams: A technique for visual data mining. In Proc. 4th Int. Conf. on Knowledge Discovery and Data Mining (New York), 139- 143.
- 26 BERCHTOLD, S., KEIM,D.,AND KRIEGEL, H.-P. 1996. The x-tree: An index structure for high-dimensional data. In Proc. 22nd Int. Conf. on Very Large Databases (Bombay), 28-39.
- 27 BERCHTOLD, S., KEIM, D., KRIEGEL, H.-P., AND SEIDL, T. 2000d. Indexing the solution space: A new technique for nearest neighbor search in high-dimensional space. IEEE Trans. Knowl. Data Eng., 45-57.
- 28 BEYER, K., GOLDSTEIN, J., RAMAKRISHNAN, R., AND SHAFT, U. 1999. When is "nearest neighbor" mean-ingful? In Proc. Int. Conf. on Database Theory, 217-235.
- 29 B~OHM, C. 1998. Efficiently indexing highdimensional databases. PhD thesis, University of Munich, Germany.
- 30 Christian Böhm, A cost model for query processing in high dimensional data spaces, ACM Transactions on Database Systems (TODS), v.25 n.2, p.129-178, June 2000
- 31 Tolga Bozkaya , Meral Ozsoyoglu, Distance-based indexing for high-dimensional metric spaces, ACM SIGMOD Record, v.26 n.2, p.357-368, June 1997
- 32 BRIN, S. 1995. Near neighbor search in large metric spaces. In Proc. 21st Int. Conf. on Very Large Databases (Switzerland), 574-584.
- 33 W. A. Burkhard , R. M. Keller, Some approaches to best-match file searching, Communications of the ACM, v.16 n.4, p.230-236, April 1973
- 34 King Lum Cheung , Ada Wai-Chee Fu, Enhanced nearest neighbour search on the R-tree, ACM SIGMOD Record, v.27 n.3, p.16-21, Sept. 1, 1998
- 35 CHIUUEH, T. 1994. Content-based image indexing. In Proc. 20th Int. Conf. on Very Large Databases (Chile), 582-593.
- 36 CIACCIA, P., PATELLA, M., AND ZEZULA, P. 1997. M- tree: An efficient access method for similarity search in metric spaces. In Proc. 23rd Int. Conf. on Very Large Databases (Greece), 426- 435.
- 37 Paolo Ciaccia , Marco Patella , Pavel Zezula, A cost model for similarity queries in metric spaces, Proceedings of the seventeenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems, p.59-68, June 01-04, 1998, Seattle, Washington, United States
- 38 John Gerald Cleary, Analysis of an Algorithm for Finding Nearest Neighbors in Euclidean Space, ACM Transactions on Mathematical Software (TOMS), v.5 n.2, p.183-192, June 1979
- 39 Douglas Comer, Ubiquitous B-Tree, ACM Computing Surveys (CSUR), v.11 n.2, p.121-137, June 1979
- 40 Antonio Corral , Yannis Manolopoulos , Yannis Theodoridis , Michael Vassilakopoulos, Closest

pair queries in spatial databases, Proceedings of the 2000 ACM SIGMOD international conference on Management of data, p.189-200, May 15-18, 2000, Dallas, Texas, United States

41 EASTMAN, C. 1981. Optimal bucket size for nearest neighbor searching in kd-trees. Inf. Proc. Lett. 12,4.

42 EVANGELIDIS, G. 1994. The hB -tree: A concurrent and recoverable multi-attribute index structure. PhD thesis, Northeastern University, Boston, MA.

43 EVANGELIDIS, G., LOMET,D.,AND SALZBERG, B. 1997. The hB-tree: A multiattribute index supporting concurrency, recovery and node consolidation. VLDB J. 6, 1, 1-25.

44 Christos Faloutsos, Multiattribute hashing using Gray codes, Proceedings of the 1986 ACM SIGMOD international conference on Management of data, p.227-238, May 28-30, 1986, Washington, D.C., United States

45 C. Faloutsos, Gray Codes for Partial Match and Range Queries, IEEE Transactions on Software Engineering, v.14 n.10, p.1381-1393, October 1988

46 FALOUTSOS,C.AND GAEDE, V. 1996. Analysis of ndimensional quadrees using the Hausdorff fractal dimension. In Proc. 22nd Int. Conf. on Very Large Databases (Mumbai, India), 40-50.

47 Christos Faloutsos , Ibrahim Kamel, Beyond uniformity and independence: analysis of R-trees using the concept of fractal dimension, Proceedings of the thirteenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems, p.4-13, May 24-27, 1994, Minneapolis, Minnesota, United States

48 Christos Faloutsos , King-Ip Lin, FastMap: a fast algorithm for indexing, data-mining and visualization of traditional and multimedia datasets, Proceedings of the 1995 ACM SIGMOD international conference on Management of data, p.163-174, May 22-25, 1995, San Jose, California, United States

49 C. Faloutsos , S. Roseman, Fractals for secondary key retrieval, Proceedings of the eighth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems, p.247-252, March 1989, Philadelphia, Pennsylvania, United States

50 C. Faloutsos , R. Barber , M. Flickner , J. Hafner , W. Niblack , D. Petkovic , W. Equitz, Efficient and effective querying by image content, Journal of Intelligent Information Systems, v.3 n.3-4, p.231-262, July 1994

51 Christos Faloutsos , M. Ranganathan , Yannis Manolopoulos, Fast subsequence matching in time-series databases, Proceedings of the 1994 ACM SIGMOD international conference on Management of data, p.419-429, May 24-27, 1994, Minneapolis, Minnesota, United States

52 Christos Faloutsos , Timos Sellis , Nick Roussopoulos, Analysis of object oriented spatial access methods, Proceedings of the 1987 ACM SIGMOD international conference on Management of data, p.426-439, May 27-29, 1987, San Francisco, California, United States

53 FINKEL,R.AND BENTLEY, J. 1974. Quad trees: A data structure for retrieval of composite trees. Acta Inf. 4, 1, 1-9.

- 54 Michael Freeston, The BANG file: A new kind of grid file, Proceedings of the 1987 ACM SIGMOD international conference on Management of data, p.260-269, May 27-29, 1987, San Francisco, California, United States
- 55 Jerome H. Freidman , Jon Louis Bentley , Raphael Ari Finkel, An Algorithm for Finding Best Matches in Logarithmic Expected Time, ACM Transactions on Mathematical Software (TOMS), v.3 n.3, p.209-226, Sept. 1977
- 56 GAEDE, V. 1995. Optimal redundancy in spatial database systems. In Proc. 4th Int. Symp. on Advances in Spatial Databases (Portland, ME), 96- 116.
- 57 Volker Gaede , Oliver Günther, Multidimensional access methods, ACM Computing Surveys (CSUR), v.30 n.2, p.170-231, June 1998
- 58 GIONIS, A., INDYK,P.,AND MOTWANI, R. 1999. Similarity search in high dimensions via hashing. In Proc. 25th Int. Conf. on Very Large Databases (Edinburgh), 518-529.
- 59 GREENE, D. 1989. An implementation and performance analysis of spatial data access methods. In Proc. 5th IEEE Int. Conf. on Data Engineering.
- 60 GUTTMAN, A. 1984. R-trees: A dynamic index structure for spatial searching. In Proc. ACM SIG-MOD Int. Conf. on Management of Data (Boston), 47-57.
- 61 Joseph M. Hellerstein , Elias Koutsoupias , Christos H. Papadimitriou, On the analysis of indexing schemes, Proceedings of the sixteenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems, p.249-256, May 11-15, 1997, Tucson, Arizona, United States
- 62 HELLERSTEIN, J., NAUGHTON,J.,AND PFEFFER, A. 1995. Generalized search trees for database systems. In Proc. 21st Int. Conf. on Very Large Databases (Zurich), 562-573.
- 63 HENRICH, A. 1994. A distance-scan algorithm for spatial access structures. In Proc. 2nd ACM Workshop on Advances in Geographic Information Systems (Gaithersburg, MD), 136-143.
- 64 HENRICH, A. 1998. The lsd h -tree: An access structure for feature vectors. In Proc. 14th Int. Conf. on Data Engineering (Orlando, FL).
- 65 A. Henrich , H. -W. Six , P. Widmayer, The LSD tree: spatial access to multidimensional and non-point objects, Proceedings of the fifteenth international conference on Very large data bases, p.45-53, July 1989, Amsterdam, The Netherlands
- 66 HINNEBURG,A.AND KEIM, D. 1998. An efficient approach to clustering in large multimedia databases with noise. In Proc. Int. Conf. on Knowledge Discovery in Databases (New York).
- 67 Klaus Hinrichs, Implementation of the grid file: design concepts and experience, BIT, v.25 n.4, p.569-592, 1985
- 68 HJALTASON,G.AND SAMET, H. 1995. Ranking in spatial databases. In Proc. 4th Int. Symp. on Large Spatial Databases (Portland, ME), 83-95.

- 69 Gísli R. Hjaltason , Hanan Samet, Incremental distance join algorithms for spatial databases, Proceedings of the 1998 ACM SIGMOD international conference on Management of data, p.237-248, June 01-04, 1998, Seattle, Washington, United States
- 70 HUTFLESZ, A., SIX, H.-W., AND WIDMAYER, P. 1988a. Globally order preserving multidimensional linear hashing. In Proc. 4th IEEE Int. Conf. on Data Engineering, 572-579.
- 71 Andreas Hutflesz , Hans-Werner Six , Peter Widmayer, Twin grid files: space optimizing access schemes, Proceedings of the 1988 ACM SIGMOD international conference on Management of data, p.183-190, June 01-03, 1988, Chicago, Illinois, United States
- 72 H. V. Jagadish, Linear clustering of objects with multiple attributes, Proceedings of the 1990 ACM SIGMOD international conference on Management of data, p.332-342, May 23-26, 1990, Atlantic City, New Jersey, United States
- 73 H. V. Jagadish, A retrieval technique for similar shapes, Proceedings of the 1991 ACM SIGMOD international conference on Management of data, p.208-217, May 29-31, 1991, Denver, Colorado, United States
- 74 JAIN,R.AND WHITE, D. 1996. Similarity indexing: Algorithms and performance. In Proc. SPIE Storage and Retrieval for Image and Video Databases IV (San Jose, CA), 62-75.
- 75 Ibrahim Kamel , Christos Faloutsos, Parallel R-trees, Proceedings of the 1992 ACM SIGMOD international conference on Management of data, p.195-204, June 02-05, 1992, San Diego, California, United States
- 76 Ibrahim Kamel , Christos Faloutsos, On packing R-trees, Proceedings of the second international conference on Information and knowledge management, p.490-499, November 01-05, 1993, Washington, D.C., United States
- 77 KAMEL,I.AND FALOUTSOS, C. 1994. Hilbert rtree: An improved r-tree using fractals. In Proc. 20th Int. Conf. on Very Large Databases, 500- 509.
- 78 Norio Katayama , Shin'ichi Satoh, The SR-tree: an index structure for high-dimensional nearest neighbor queries, Proceedings of the 1997 ACM SIGMOD international conference on Management of data, p.369-380, May 11-15, 1997, Tucson, Arizona, United States
- 79 Donald E. Knuth, The art of computer programming, volume 3: (2nd ed.) sorting and searching, Addison Wesley Longman Publishing Co., Inc., Redwood City, CA, 1998
- 80 Flip Korn , S. Muthukrishnan, Influence sets based on reverse nearest neighbor queries, Proceedings of the 2000 ACM SIGMOD international conference on Management of data, p.201-212, May 15-18, 2000, Dallas, Texas, United States
- 81 KORN, F., SIDIROPOULOS, N., FALOUTSOS, C., SIEGEL, E., AND PROTOPAPAS, Z. 1996. Fast nearest neighbour search in medical image databases. In Proc. 22nd Int. Conf. on Very Large Databases (Mumbai, India), 215-226.
- 82 KORNACKER, M. 1999. High-performance generalized search trees. In Proc. 24th Int. Conf. on Very Large Databases (Edinburgh).

- 83 Hans-Peter Kriegel , Bernhard Seeger, Multidimensional order preserving linear hashing with partial expansions, Proceedings on International conference on database theory, p.203-220, December 1986, Rome, Italy
- 84 KRIEGEL, H.-P. AND SEEGER, B. 1987. Multidimensional dynamic quantile hashing is very efficient for non-uniform record distributions. In Proc. 3rd Int. Conf. on Data Engineering, 10-17.
- 85 KRIEGEL, H.-P. AND SEEGER, B. 1988. Plophashing: A grid file without directory. In Proc. 4th Int. Conf. on Data Engineering, 369-376.
- 86 KRISHNAMURTHY,R.AND WHANG, K.-Y. 1985. Multilevel Grid Files. IBM Research Center Report, Yorktown Heights, NY.
- 87 Karen Kukich, Technique for automatically correcting words in text, ACM Computing Surveys (CSUR), v.24 n.4, p.377-439, Dec. 1992
- 88 LIN, K., JAGADISH, H., AND FALOUTSOS, C. 1995. The tv-tree: An index structure for high-dimensional data. VLDB J. 3, 517-542.
- 89 LOMET,D.AND SALZBERG, B. 1989. The hb-tree: A robust multiattribute search structure. In Proc. 5th IEEE Int. Conf. on Data Engineering, 296- 304.
- 90 David B. Lomet , Betty Salzberg, The hB-tree: a multiattribute indexing method with good guaranteed performance, ACM Transactions on Database Systems (TODS), v.15 n.4, p.625-658, Dec. 1990
- 91 MANDELBROT, B. 1977. Fractal Geometry of Nature. W.H. Freeman, New York.
- 92 MEHROTRA,R.AND GARY, J. 1993. Feature-based retrieval of similar shapes. In Proc. 9th Int. Conf. on Data Engineering.
- 93 R. Mehrotra , J. Gary, Feature-index-based similar shape retrieval, Proceedings of the third IFIP WG2.6 working conference on Visual database systems 3 (VDB-3), p.46-65, June 1997
- 94 MORTON, G. 1966. A Computer Oriented Geodetic Data Base and a New Technique in File Sequencing. IBM Ltd., USA.
- 95 MUMFORD, D. 1987. The problem of robust shape descriptors. In Proc. 1st IEEE Int. Conf. on Computer Vision.
- 96 J. Nievergelt , Hans Hinterberger , Kenneth C. Sevcik, The Grid File: An Adaptable, Symmetric Multikey File Structure, ACM Transactions on Database Systems (TODS), v.9 n.1, p.38-71, March 1984
- 97 Jack Orenstein, A comparison of spatial query processing techniques for native and parameter spaces, Proceedings of the 1990 ACM SIGMOD international conference on Management of data, p.343-352, May 23-26, 1990, Atlantic City, New Jersey, United States
- 98 ORENSTEIN,J.AND MERRET, T. 1984. A class of data structures for associative searching. In Proc. 3rd ACM SIGACT-SIGMOD Symp. on Principles of Database Systems, 181-190.



- 99 OTOO, E. 1984. A mapping function for the directory of a multidimensional extendible hashing. In Proc. 10th Int. Conf. on Very Large Databases, 493-506.
- 100 M. Aris Ouksel, The interpolation-based grid file, Proceedings of the fourth ACM SIGACT-SIGMOD symposium on Principles of database systems, p.20-27, March 25-27, 1985, Portland, Oregon, United States
- 101 M. Aris Ouksel, Otto Mayer, A robust and efficient spatial data structure: the nested interpolation-based grid file, Acta Informatica, v.29 n.4, p.335-373, July 1992
- 102 Bernd-Uwe Pagel, Hans-Werner Six, Heinrich Toben, Peter Widmayer, Towards an analysis of range query performance in spatial data structures, Proceedings of the twelfth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems, p.214-221, May 25-28, 1993, Washington, D.C., United States
- 103 PAPADOPOULOS, A. AND MANOLOPOULOS, Y. 1997a. Nearest neighbor queries in shared-nothing environments. Geoinf. 1, 1, 1-26.
- 104 PAPADOPOULOS, A. AND MANOLOPOULOS, Y. 1997b. Performance of nearest neighbor queries in r-trees. In Proc. 6th Int. Conf. on Database Theory, Lecture Notes in Computer Science, vol. 1186, Springer-Verlag, New York, 394-408.
- 105 Apostolos N. Papadopoulos, Yannis Manolopoulos, Similarity query processing using disk arrays, Proceedings of the 1998 ACM SIGMOD international conference on Management of data, p.225-236, June 01-04, 1998, Seattle, Washington, United States
- 106 RIEDEL, E., GIBSON, G., AND FALOUTSOS, C. 1998. Active storage for large-scale data mining and multimedia. In Proc. 24th Int. Conf. on Very Large Databases, 62-73.
- 107 ROBINSON, J. 1981. The k-d-b-tree: A search structure for large multidimensional dynamic indexes. In Proc. ACM SIGMOD Int. Conf. on Management of Data, 10-18.
- 108 Nick Roussopoulos, Stephen Kelley, Frédéric Vincent, Nearest neighbor queries, Proceedings of the 1995 ACM SIGMOD international conference on Management of data, p.71-79, May 22-25, 1995, San Jose, California, United States
- 109 SAGAN, H. 1994. Space Filling Curves. Springer-Verlag, New York.
- 110 SCHRÖDER, M. 1991. Fractals, Chaos, Power Laws: Minutes from an Infinite Paradise. W.H. Freeman, New York.
- 111 Bernhard Seeger, Hans-Peter Kriegel, The buddy tree: an efficient and robust access method for spatial data base, Proceedings of the sixteenth international conference on Very large databases, p.590-601, September 1990, Brisbane, Australia
- 112 SEIDL, T. 1997. Adaptable similarity search in 3-d spatial database systems. PhD thesis, University of Munich, Germany.
- 113 SEIDL, T. AND KRIEDEL, H.-P. 1997. Efficient user adaptable similarity search in large

multimedia databases. In Proc. 23rd Int. Conf. on Very Large Databases (Athens).

114 SELLIS, T., ROUSSOPOULOS, N., AND FALOUTSOS, C. 1987. The rC-tree: A dynamic index for multidimensional objects. In Proc. 13th Int. Conf. on Very Large Databases (Brighton, GB), 507-518.

115 SHAWNEY, H. AND HAFNER, J. 1994. Efficient color histogram indexing. In Proc. Int. Conf. on Image Processing, 66-70.

116 Brian K. Shoichet, Dale L. Bodian, Irwin D. Kuntz, Molecular docking using shape descriptors, Journal of Computational Chemistry, v.13 n.3, p.380-397, April, 1992

117 SPROULL, R. 1991. Refinements to nearest neighbor searching in k-dimensional trees. Algorithmica, 579-589.

118 STANOI, I., AGRAWAL, D., AND ABBADI, A. 2000. Reverse nearest neighbor queries for dynamic databases. In Proc. ACM SIGMOD Workshop on Research Issues in Data Mining and Knowledge Discovery, 44-53.

119 STONEBRAKER, M., SELLIS, T., AND HANSON, E. 1986. An analysis of rule indexing implementations in data base systems. In Proc. Int. Conf. on Expert Database Systems.

120 Yannis Theodoridis, Timos Sellis, A model for the prediction of R-tree performance, Proceedings of the fifteenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems, p.161-171, June 04-06, 1996, Montreal, Quebec, Canada

121 UHLMANN, J. 1991. Satisfying general proximity/ similarity queries with metric trees. Inf. Proc. Lett. 145-157.

122 VAN DEN BERCKEN, J., SEEGER, B., AND WIDMAYER, P. 1997. A general approach to bulk loading multidimensional index structures. In Proc. 23rd Int. Conf. on Very Large Databases (Athens).

123 WALLACE, T. AND WINTZ, P. 1980. An efficient three-dimensional aircraft recognition algorithm using normalized Fourier descriptors. Comput. Graph. Image Proc. 13, 99-126.

124 WEBER, R., SCHEK, H.-J., AND BLOTT, S. 1998. A quantitative analysis and performance study for similarity-search methods in high-dimensional spaces. In Proc. Int. Conf. on Very Large Databases (New York).

125 WHITE, D. AND JAIN, R. 1996. Similarity indexing with the ss-tree. In Proc. 12th Int. Conf. on Data Engineering (New Orleans).

126 A C Yao, F F Yao, A general approach to d-dimensional geometric queries, Proceedings of the seventeenth annual ACM symposium on Theory of computing, p.163-168, May 06-08, 1985, Providence, Rhode Island, United States

127 Peter N. Yianilos, Data structures and algorithms for nearest neighbor search in general metric spaces, Proceedings of the fourth annual ACM-SIAM Symposium on Discrete algorithms, p.311-321, January 25-27, 1993, Austin, Texas, United States

128 YIANILOS, P. 1999. Excluded middle vantage point forests for nearest neighbor search. In Proc.

DIMACS Implementation Challenge (Baltimore, MD).

↑ CITINGS 4

Charu C. Aggarwal, Hierarchical subspace sampling: a unified framework for high dimensional data reduction, selectivity estimation and nearest neighbor search, Proceedings of the 2002 ACM SIGMOD international conference on Management of data, June 03-06, 2002, Madison, Wisconsin

Edgar Chávez , Gonzalo Navarro , Ricardo Baeza-Yates , José Luis Marroquín, Searching in metric spaces, ACM Computing Surveys (CSUR), v.33 n.3, p.273-321, September 2001

↑ INDEX TERMS

Primary Classification:

A. General Literature

↳ A.1 INTRODUCTORY AND SURVEY

Additional Classification:

E. Data

↳ E.1 DATA STRUCTURES

F. Theory of Computation

↳ F.2 ANALYSIS OF ALGORITHMS AND PROBLEM COMPLEXITY

G. Mathematics of Computing

↳ G.1 NUMERICAL ANALYSIS

↳ G.2 DISCRETE MATHEMATICS

H. Information Systems

↳ H.2 DATABASE MANAGEMENT

↳ H.3 INFORMATION STORAGE AND RETRIEVAL

↳ H.4 INFORMATION SYSTEMS APPLICATIONS

General Terms:

Algorithms, Design, Measurement, Performance, Theory

Keywords:

Index structures, indexing high-dimensional data, multimedia databases, similarity search

↑ Peer to Peer - Readers of this Article have also read:

- Constructing reality

**Proceedings of the 11th annual international conference on Systems documentation**

Douglas A. Powell , Norman R. Ball , Mansel W. Griffiths

- Data structures for quadtree approximation and compression  
**Communications of the ACM** 28, 9  
Hanan Samet
- MBONE: the multicast backbone  
**Communications of the ACM** 37, 8  
Hans Eriksson
- Dynamic initial allocation and local reallocation procedures for multiple stacks  
**Communications of the ACM** 29, 2  
D. Yun Yeh , Toshinori Munakata
- Distributed component technologies and their software engineering implications  
**Proceedings of the 24th international conference on Software engineering**  
Wolfgang Emmerich

---

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.